
OSE POD Locations



10/31/22, 3:05 PM



All Rights Reserved



New Mexico Office of the State Engineer

Water Right Summary

WR File Number: RG 92024

Subbasin: TA

Cross Reference:

Primary Purpose: DOM

72-12-1 DOMESTIC ONE HOUSEHOLD

PMT Primary Status:

PERMIT

Total Acres:

Subfile:

Header: -

Total Diversion:

Cause/Case:

MARILYN M OLSEN Owner:

Documents on File

					Sta	itus		From/			
		Trn#	Doc	File/Act	1	2	Transaction Desc.	To	Acres	Diversion	Consumpt
The second	get images	671608	UWL	2020-04-21	UWL	ACC	RG 92024	Т		0	
S. D.	get images	457008	72121	2010-04-19	PMT	LOG	RG 92024	Т		1	

Current Points of Diversion

(NAD83 UTM in meters)

POD Number RG 92024 POD1

Source 64Q16Q4Sec Tws Rng Well Tag Shallow 2 2 3 35 25N 12E

Other Location Desc 76 CAMINO DE LOS

ARROYOS

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, exp implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

WATER RIGHT SUM 10/31/22 3:00 PM



New Mexico Office of the State Engineer

Transaction Summary

72121 All Applications Under Statute 72-12-1

Transaction Number:

457008

Transaction Desc: RG 92024

File Date: 04/13/2010

Primary Status:

PMT Permit

Secondary Status: Lo

LOG Well Log H

Secondary Status.

Well Log Received

Person Assigned:

Applicant: MARILYN M OLSEN

Events

	Date	Type	Description	Comment	Processed By
get images	04/13/2010	APP	Application Received	*	*****
	04/19/2010	FIN	Final Action on application		*****
	04/19/2010	WAP	General Approval Letter		*****
get images	07/28/2010	LOG	Well Log Received	*	*****
	07/29/2010	LRL	Well Log Letter of Transmittal		*****
	04/21/2020	QAT	Quality Assurance Completed	IMAGE	*****
	04/21/2020	ARW	WRAB Main File Rm Arch Sect	RG 92024 Archived	*****

Change To:

WR File Nbr

Acres

Diversion

1

Consumptive Purpose of Use

RG 92024

DOM 72-12-1 DOMESTIC ONE HOUSEHOLD

**Point of Diversion

RG 92024 POD1

442780

4023746

in GIJOSA Grant

Conditions

11 This permit authorizes the diversion of water for domestic use to serve a single household. The total diversion of water under this permit shall not exceed 1 acrefeet per year. The diversion of water for domestic use may include the watering of non-commercial trees, lawn and garden not to exceed one acre.

Action of the State Engineer

** See Image For Any Additional Conditions of Approval **

ripprovar cou

Approval Code: A - Approved

Action Date:

04/19/2010

Log Due Date: 04/19/2011

State Engineer: John R. D Antonio,

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, exp implied, concerning the accuracy, completeness, reliability, or suitability for any particular purpose of the data.

10/31/22 3:02 PM

TRANSACTION SUM



New Mexico Office of the State Engineer **Point of Diversion Summary**

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

Well Tag

POD Number

Q64 Q16 Q4 Sec Tws Rng

X

Y

NA

RG 92024 POD1

35 25N 12E

442796

4023747

Driller License:

987

Driller Company:

FENNELL DRILLING COMPANY

Driller Name:

FENNELL, JIM L. (LD)

Drill Start Date:

07/20/2010

Drill Finish Date:

07/21/2010

Plug Date:

Shallow

Log File Date:

07/28/2010

PCW Rcv Date:

Source:

Pump Type:

Pipe Discharge Size:

Estimated Yield: 15 GPM

Casing Size:

4.50

Depth Well:

165 feet

Depth Water:

89 feet

Water Bearing Stratifications:

Top Bottom Description

90


165 Sandstone/Gravel/Conglomerate

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, express concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/31/22 3:03 PM

POINT OF DIVERSION SU

		9	



Northing 4023747.943

State Plane - NAD 83 (f) - Zone C

Easting 1820740.834

Northing 1949831.150

Degrees Minutes Seconds

Latitude 36:21:25.625324

Longitude -105: 38: 15.284729

Location pulled from New Map Point

Abstract Area:TA

RPDT

Land Grant: GIJOSA

Restrictions:

NA

PLSS Description

NE NE NE SW Qtr of Sec 35 of 25N 12E

Derived from Projected PUSS. Qtr Sec. locations are calculated and are only

Taos County Parcels 2018

Tract and Survey Maps

approximation%

Purpose:

Author:

Parcel Information

UPC/DocNum: 1071145073270

Parcel Owner: OLSEN, MARILYN

Address: PO BOX 2948 RANCHOS DE TAOS NM

Legal: LOT 8-CD:76 CAMIANO DE LOAS ARROYOS

NEW MEXICO OFFICE OF THE STATE ENGINEER

1:2,257

180



Selected Parcel



User Defined Point



Counties

WRAB Abstract Project Areas

Click to Print

Owner Information

Owner # 84411 District 1-A OLSEN, MARILYN

PO BOX 2948 RANCHOS DE TAOS NM 87557

Estimated Taxes for Owner

Estimated Tax Estimated Year used \$1258.51 2019

Calculate Estimated Tax

Recap Value Information

Central Full Value 0 Full Value 210600
Land Full Value 109422 Taxable Value 70200
Improvements Full value 101178 Exempt Value 0
Personal Property Full Value 0 Net Value 70200
Manufactured Home Full Value 0
Livestock Full Value 0

Property Information

Property Code 1071145073270

Book 700 Page 24 Reception# 357326
Physical Address 76 CAMINO DE LOS ARROYOS
Bldg Apt
Subdivision VISTA LINDA SUBDIVISION
8 BLOCK LOT 8-CD
LOT 8-CD
2.40 ACRES
TWP 25N RGE 12E SEC 35
QUAD 2
LOT 8-CD

Appraisal Information

Basement Sq. Ft. 0 First Floor Sq. Ft. 1120 Second Floor Sq. Ft. 0 Year built 2010

Property Value Information

B02 Residential	Land	1.00 0.00	59022
B03 Non-Residential	Land	1.40 36000.00	50400
C01 Residential	Improvements	0.00	101178

File Number:	
Sub Basin:	

NEW MEXICO OFFICE OF THE STATE ENGINEER APPLICATION FOR PERMIT TO USE UNDERGROUND WATERS IN ACCORDANCE WITH SECTIONS 72-12-1.1, 72-12-1.2, or 72-12-1.3 NEW MEXICO STATUTES

1. APPLICANT Name: Marilya M.O. SON	Name:	
Address: 4182 State Rd. 68	Name: Address: P.O. Dox. 2948	
City: Ranchos de Taos	City:	
State: NM Zip: 77557	State:Zip:	
Phone: 720-433-9657 Contact:	Phone:	
Contact.		
2. LOCATION OF WELL (A or B required, C required)	C required, if applicable, D State Plane NM West Zone	
_	MM Central Zon	e
A. NAD 83 (Select Appropriate Coordin. NOTE: State Plane units - feet, UTM		
X =, Y=	UTM_2one 13N	0
2/ 101	UTM_one 12N	I
B. Latitude: 36 d 21 r Longitude: 205 d 38	m 1596 8 WAS 84	M
(Enter Lat/Long to at least 1/10)th of a second)	SS A
Grant (If Applicable) Gisosa	~ ~	TAK
Q		3
Lot No, Block No	Recorded in County of TADS, N.M	S
Y D. On land owned by: Marily M.	Olsen	
E. Tract No of	of the Hydrographic Survey	
E to this wall within a municipality?	(Qif yes, where?	
r. is this wen within a municipanty: 202	D if yes, where:	
H. Give State Engineer File Number if exi	kisting well:	
I1/41/4 Section	on Township Range	
J. Other		
3. USE OF WATER (check use applied for)		
Domestic use for one household		
Livestock watering		
Domestic well to accompany a hous	se or other dwelling unit constructed for sale.	
Domestic use to serve house	aseholds	
Drinking and sanitary uses that ar commercial, or non-profit facility	are incidental to the operations of a governmental,	
Prospecting, mining or drilling ope	erations to discover or develop natural resources	
Construction of public works, high	nways and roads	
9	Page 1 of 2	
Trn Desc:	File Number: KG 42024	
Tog Dae Dave.	Trn Number: 457008	
Form: wr-01		

File Number: _	
Sub Basin:	

NEW MEXICO OFFICE OF THE STATE ENGINEER APPLICATION FOR PERMIT TO USE UNDERGROUND WATERS IN ACCORDANCE WITH SECTIONS 72-12-1.1, 72-12-1.2, or 72-12-1.3 NEW MEXICO STATUTES

4. WELL INFORMATION

Name of well driller	and driller license	number:	WD#:_987	7.00
	/		side diameter of casing	inches.
	ment well			
Repair o	or Deepen:	, , "		
	Clean out well to or	riginal depth	. •	
	Deepen well from _ Other	to	feet	
	nental well		9	
5. ADDITIONAL ST	ATEMENTS OR E	XPLANATIONS:		
			······································	
	*		,	
***************************************			- 100	
2		ACKNOWLEDG	EMENT	
(I, We) Marile	yn M. Olsen			affirm that the
-	,	(Please Pri	nt) of (my, our) knowledge an	d helief
totago	ing statements are	true to the peet	or (my, our) knowledge an	d belief.
Marilen	An Olsen	1		
Co	Applicant Sig	nature	Applicant Signature	
	ACTIC	ON OF THE STA	re engineer	
This application is a	pproved subject to	the attached gen	eral and specific condition	s of approval.
Witness my hand an	d seal this	_day of	, 20_	·
John R. D'Antonio, J	r., PE, New Mexico	State Engineer		
Ву:	**			
	, E , P	Page 2 of	2	
Trn Desc:		1	ile Number:	
Log Due Date:			I'rn Number:	water
Form: wr-01				

NEW MEXICO STATE ENGINEER OFFICE APPLICATION FOR PERMIT TO USE UNDERGROUND WATERS IN ACCORDANCE WITH SECTION 72-12-1 NEW MEXICO STATUTES

GENERAL CONDITIONS OF APPROVAL (A thru O)

- O6-A The maximum amount of water that may be appropriated under this permit is 1.000 acre-feet in any year.
- The well shall be drilled by a driller licensed in the State of New Mexico in accordance with Section 72-12-12 New Mexico Statutes Annotated. A licensed driller shall not be required for the construction of a driven well; provided that the casing shall not exceed two and three-eighths (2 3/8) inches outside diameter (Section 72-12-12).
- Driller's well record must be filed with the State Engineer within 20 days after the well is drilled or driven. Well record forms will be provided by the State Engineer upon request.
- The casing shall not exceed 7 inches outside diameter except under specific conditions in which reasons satisfactory to the State Engineer are shown.
- O6-E To request a change to the use of water authorized under this permit, the permittee shall file an application with the State Engineer.
- O6-F An application for a new 72-12-1.1 domestic well permit where the proposed point of diversion is to be located on the same legal lot of record as an operational 72-12-1.1 domestic well shall be treated as an application for a supplemental well.
- O6-G If artesian water is encountered, all rules and regulations pertaining to the drilling and casing of artesian wells shall be complied with.
- The drilling of the well and amount and uses of water permitted are subject to such limitations as may be imposed by a court or by lawful municipal or county ordinance which are more restrictive than the conditions of this permit and applicable State Engineer regulations.
- O6-I The permittee shall utilize the highest and best technology available to ensure conservation of water to the maximum extent practical.

a 27 . ee

Trn Desc: RG 92024 File Number: RG 92024

Log Due Date: 04/19/2011 Trn Number: 457008

Form: wr-01 page: 1

NEW MEXICO STATE ENGINEER OFFICE APPLICATION FOR PERMIT TO USE UNDERGROUND WATERS IN ACCORDANCE WITH SECTION 72-12-1 NEW MEXICO STATUTES

rrist -

GENERAL CONDITIONS OF APPROVAL (Continued)

- The well shall be set back a minimum of 50 ft. from an existing well of other ownership unless a variance has been granted by the State Engineer. The State Engineer may grant a variance for a replacement well or to allow for maximum spacing of the well from a source of groundwater contamination. The well shall be set back from potential sources of contamination in accordance with rules and regulations of the NM Environment Department.
- O6-K Pursuant to section 72-8-1 NMSA, the permittee shall allow the State Engineer and his representatives entry upon private property for the performance of their respective duties, including access to the well for meter reading and water level measurement.
- The permit is subject to cancellation for non-compliance with the conditions of approval or if otherwise not exercised in accordance with the terms of the permit.
- O6-M The right to divert water under this permit is subject to curtailment by priority administration as implemented by the State Engineer or a court.
- O6-N In the event of any change of ownership to this permit the new owner shall file a change of ownership form with the State Engineer in accordance with Section 72-1-2.1 NMSA.
- This well permit shall automatically expire unless the well is completed and the well record is filed with the State Engineer within one year of the date of issuance of the permit. It is the responsibility of the permit holder to ensure that the well record has been properly filed with the State Engineer.

SPECIFIC CONDITIONS OF APPROVAL

This permit authorizes the diversion of water for domestic use to serve a single household. The total diversion of water under this permit shall not exceed 1.000 acre-feet per year. The diversion of water for domestic use may include the watering of non-commercial trees, lawn and garden not to exceed one acre.

Trn Desc: RG 92024 File Number: RG 92024

6 V 1 - 2 1 - 1

Log Due Date: 04/19/2011 Trn Number: 457008

Form: wr-01 page: 2

NEW MEXICO STATE ENGINEER OFFICE APPLICATION FOR PERMIT TO USE UNDERGROUND WATERS IN ACCORDANCE WITH SECTION 72-12-1 NEW MEXICO STATUTES

SPECIFIC CONDITIONS OF APPROVAL (Continued)

LOG

This permit will automatically expire unless the well RG 92024 POD1 is completed and the well record filed on or before 04/19/2011.

ACTION OF STATE ENGINEER

This application is approved for the use indicated, subject to all general conditions and to specific conditions listed above.

Witness my hand and seal this 19 day of Apr A.D., 2010

John R. D Antonio, Jr., P.E., State Engineer

Joseph Montova

handare".

Sec. 2 5 5 5 5 5 5

Trn Desc: RG 92024 File Number: RG 92024

Log Due Date: 04/19/2011 Trn Number: 457008

Form: wr-01

page: 3

17 . 7.5.

Locator Tool Report

General Information:

Application ID:28

Date: 04-16-2010

Time: 14:47:48

WR File Number: RG: PC - PC - P

Purpose: POINT OF DIVERSION

of the Territor

Applicant First Name: MARILYN M Applicant Last Name: OLSEN

> GW Basin: RIO GRANDE County: TAOS

Critical Management Area Name(s): WATERS USE ONLY: SUBBASIN - NRG

WATERS USE ONLY: SUBBASIN - TAOS TA

Special Condition Area Name(s): NONE

Land Grant Name: GIJOSA

PLSS Description (New Mexico Principal Meridian):

PLSS description is not available for this location.

Coordinate System Details:

Geographic Coordinates:

Latitude:

36 Degrees 21 Minutes 25.6 Seconds N

Longitude:

105 Degrees 38 Minutes 16.0 Seconds W

Universal Transverse Mercator Zone: 13N

NAD 1983(92) (Meters) N: 4.023.746 E: 442.780 N: 13,201,240 E: 1,452,686 NAD 1983(92) (Survey Feet) N: 4,023,541 E: 442,829 NAD 1927 (Meters) NAD 1927 (Survey Feet) N: 13,200,569 E: 1,452,848

State Plane Coordinate System Zone: New Mexico Central

N: 594,308 E: 554,946 NAD 1983(92) (Meters) NAD 1983(92) (Survey Feet) N: 1,949,824 E: 1,820,686 N: 594,288 E: 207,399 NAD 1927 (Meters) N: 1,949,759 E: 680,441 NAD 1927 (Survey Feet)


> March et and Etre

> > Print Date: 04/16/2010

Page 1 of 2 San Trade of the State of the

NEW MEXICO OFFICE OF STATE ENGINEER

Locator Tool Report





WR File Number: RG

Scale: 1:13,975

Northing/Easting: UTM83(92) (Meter): N: 4,023,746

E: 442,780


Northing/Easting: SPCS83(92) (Feet): N: 1,949,824

E: 1,820,686

GW Basin: Rio Grande

Page 2 of 2

Print Date: 04/16/2010





All Districts PO BOX 25102 SANTA FE, NM 87504-5102

STATE OF NEW MEXICO

Trn Nbr:

457008

OFFICE OF THE STATE ENGINEER

File Nbr:

RG 92024

Well File Nbr: RG 92024 POD1

Jul. 29, 2010

MARILYN M OLSEN P O BOX 2948 RANCHOS DE TAOS, NM 87557

Greetings:

Enclosed is your copy of the well record for the above numbered permit, which has been accepted for filing.

Yvonne Vigil (505)827-6120

Enclosure

wellrrcv

John R. D Antonio, Jr., P.E. State Engineer



Santa Fe Office PO BOX 25102 SANTA FE, NM 87504-5102

STATE OF NEW MEXICO

Trn Nbr: 457008 File Nbr: RG 92024

OFFICE OF THE STATE ENGINEER

Apr. 19, 2010

MARILYN M OLSEN P O BOX 2948 RANCHOS DE TAOS, NM 87557

Greetings:

Enclosed is your copy of the 72-12-1 Permit which has been approved. Your attention is called to the Specific and the General Conditions of Approval of this permit.

In accordance with General Condition C, a well record shall be filed in this office within twenty (20) days after completion of drilling. The well record is proof of completion of the well. IT IS YOUR RESPONSIBILITY TO ASSURE THAT THE WELL LOG BE FILED WITHIN 20 DAYS OF DRILLING THE WELL.

This permit will expire on or before 04/19/2011, unless the well has been drilled and the well log filed in this office.

Sincerely,

Joseph Montoya (505)827-6120

Enclosure

wr 0lapp

W. P. S.



FILE NUMBER

LOCATION



2010 JUL 28 AM 10: 34

PAGE 1 OF 2

z	POD NUMB	-	LL N	JMBER)				RG 92024				
5			=					PHONE (OPTI				
¥	WELL OW							PHONE (OPII	UNAL			
ğ	Marilyn											
-				ADDRESS				CITY		STATE		ZIP
GENERAL AND WELL LOCATION	P.O. Bo	x 294	8					Ranchos	de Toos	N.M.	87	'557
P	WELI				DEGREES	MINUTES	SECONDS					
Y	LOCATI	1		TOTAL COLUMN	36	21	25.56 N	* ACCURACY	REQUIRED: ONE TEN	ITH OF A SEC	COND	
Z	(FROM (1	LAI	TIUDE				• DATUM RE	QUIRED: WGS 84			
E E				IGITUDE	105	38	10.00	<u> </u>				
GE	DESCRIPT	ION REL	ATIN	G WELL LOCAT	ON TO STREET ADDRE	SS AND COMMON L	ANDMARKS					
Ŧ,	l)											
	(2.5 ACI	r T		(10 ACRE)	(40 ACRE)	(160 ACRE)	SECTION		TOWNSHIP		RANGE	
						, ,				NORTH		☐ EAST
ķ		4		1/4	1/4	1/4	1.00.17	-	DI OCK NUMBER	SOUTH	I DATE OF DA	WEST
Ó	SUBDIVISI	ON NAM	Œ				LOT NU	MBER	BLOCK NUMBER		UNIT/TRA	CI
OPTIONAL												
7. (HYDROGR	APHIC S	URVE	EY					MAP NUMBER		TRACT N	JMBER
									İ			
-	LICENSE N	UMBER		NAME OF LICE	ENSED DRILLER				NAME OF WELL DI	RILLING COM	PANY	
	W.D	. 987		Jim L. Fen	neli				Fennell Drillin	g Co.		
-	DRILLING	STARTE	D	DRILLING ENT	DED DEPTH OF COM	PLETED WELL (FT)	BORE HO	LE DEPTH (FT)	DEPTH WATER FIR	ST ENCOUN	TERED (FT)	
-	7/2	0/10		7/21/10	· [165		165		89		
Į.			_						STATIC WATER LE	VEL IN COM	PLETED WEI	L (FT)
3. DRILLING INFORMATION	COMPLETI	D WELL	IS:	ARTESIAN	DRY HOLE	SHALLOW (UNCONFINED)			89		
2					C21							
E	DRILLING	FLUID:		L AIR	✓ MUD	ADDITIVES						
و	DRILLING	WELHOR);	V ROTARY	HAMMER	CABLE TOO	ь Цотн	ER - SPECIFY:				
	DEPT	H (FT)		BORE HOL	E C	CASING	CON	NECTION	INSIDE DIA.	CASINO	WALL	SLOT
	FROM	то		DIA. (IN)	M.	ATERIAL	TYPE	(CASING)	CASING (IN)	THICKN	ESS (IN)	SIZE (IN)
3.1	0	25		9								
	25	165	5	6.5		pvc	solv	ent weld	4.5	.24	48	.032
-	DEPT	H (FT)	=	WALLOW IE	e Fo	DEMATION DESC	ישט אטדועוטי	DINCIDAL W	ATER-BEARING S	TDATA		YIELD
<	FROM	TO	-	THICKNES (FT)	8				R FRACTURE ZON			(GPM)
3	90	165	-	75		`		I with clay st				15+
E	90	100	<u>'</u>	75			saliu di glave	Will Gay St	i i i i goi s			10.
9												- 11000
WATER BEARING STRATA												
₽ I	WELHOD O	SED TO	ESTIN	AATE YIELD OF	WATER-BEARING STRA	TA			TOTAL ESTIMATE	WELL YIEL	D (GPM)	
*	air lift									15+		
₹									<u> </u>			
-7	pop oc-	Th lives		HOE					WELL BEOO	BD & 1 00	(Varning C	0/00
1	FOR OSE		IAN	USE	******	POD NU	MBED		TRN NUMBE		Actaion 6	2/08)
	CHE NIII						eve 1.11.25%		I INTITIONEDE	48.5		

	TWDE O	C DUIMO.	☑ SUBMEI	RSIBLE	□ JET	NO PUMP – WELL NOT EQUIPPED			
MP	TYPEO	F PUMP:	☐ TURBIN	E	CYLINDER	OTHER - SPECIFY:			
SEAL AND PUMP	DEPTH (F ANNULAR FROM		(FT)	BORE HOLE DIA. (IN)	MATERIAL TYPE AND SIZE	AMOUNT (CUBIC FT)		METHOD OF PLACEMENT	
I.A		ULAR AND	0	25	9	bentonite chips	2	gravity	pour
		L PACK	-	20		Bonto unpo		3	
Ą,									
- 7	DEPT	H (FT)	тніск	NESS		COLOR AND TYPE OF MATERIAL ENCOUNTI	ERED	WAT	TER
	FROM	то	(F	Γ)	(INCL)	UDE WATER-BEARING CAVITIES OR FRACTU	IRE ZONES)	BEAR	ING?
	0	75	7:	5		clay with sand stringers		YES	Ø NO
	75	90	1	5		day		YES	Ø NO
	90	165	7:	5		sand & gravel with clay stringers		✓ YES	□ NO
						- 115 - Yes - G - 11 - 11 - 11 - 11 - 11 - 11 - 11		☐ YES	□ NO
1								☐ YES	□ NO
WEI								☐ YES	□ NO
OF								☐ YES	□ NO
Q								☐ YES	□NO
121								☐ YES	□ NO
GEOLOGIC LOG OF WELL								☐ YES	□NO
EO								☐ YES	□ NO
6.0								☐ YES	□ NO
						All and the second seco		☐ YES	□NO
								YES	□NO
								☐ YES	□NO
								☐ YES	□NO
								YES	□ №
			ATTACH	ADDITION	IAL PAGES AS NI	SEDED TO FULLY DESCRIBE THE GEOLOGIC	LOG OF THE WELL		
			METHOD:	BAILE	R PUMP	☑ AIR LIFT ☐ OTHER – SPECIFY:			
INFO	WELL	TEST	TEST RESU	ILTS - ATTA	CH A COPY OF I	DATA COLLECTED DURING WELL TESTING, I AND DRAWDOWN OVER THE TESTING PERIO	NCLUDING START T	IME, END T	IME,
& ADDITIONAL	4000000	TAL OF ATER	MENTS OR EXPL						
011	ADDITION	NAL STATE	AEN IS OK EXPL	ANATIONS:					
A A									
7. TEST	1								
7. T									
						COT OF VIIO OR VIEW PAIGNAL COOP AND DELVI	T THE CORECORIC	C A TRILLE A	NID
2	CORREC	CT RECOR	D OF THE AF	SOVE DESC	RIBED HOLE AN	EST OF HIS OR HER KNOWLEDGE AND BELIE D THAT HE OR SHE WILL FILE THIS WELL RE	CORD WITH THE ST	ATE ENGIN	EER AND
E E	THE PEI	RMIT HOL	DER WITHIN	20 DAYS A	FTER COMPLET	ON OF WELL DRILLING:			
8. SIGNATURE		14 -	10	11		7/26/10			
8. SI	1	um 1	SIGNATIIE	RE OF DRIL	LER	DATE			
	//		SICITATOR	war rwy		DAIL			

FOR OSE INTERNAL USE		WELL RECORD & LOG (Version 6/9/08		
FILE NUMBER	POD NUMBER	TRN NUMBER		
LOCATION		PAGE 2 OF 2		